

ENGINEERING DEPARTMENT

BANGALORE DIVISION.

Abstract Notification dated 16th December 1936.

The attention of the public is hereby invited to the detailed notification inviting tenders for the restoration of the breached Chickmuduvadi Gendikere Tank of Kankanhalli Taluk published on pages 2075-2076, Part VI of the *Mysore Gazette*, dated 24th December 1936.

The last date for the receipt of the tender is 2 P.M. on 12th January 1937 and the earnest money to accompany the tender is Rs. 350.

N. SUBBA RAO,
Executive Engineer.

KOLAR DIVISION.

Abstract Notification dated 21st—22nd December 1936.

The attention of the public is invited to the notification on pages 2092-2093, Part VI of the issue of the *Mysore Gazette*, dated 24th December 1936, calling for tenders for the work of restoring Hulimangala Hosakote Hosakere, Register No. 479 of Malur Taluk.

The last date fixed for the receipt of the tenders in this Office is 2 P.M. on 25th January 1937.

Abstract Notification dated 21st—22nd December 1936.

The attention of the public is invited to the notification on pages 2093-2095, Part VI of the issue of the *Mysore Gazette*, dated 24th December 1936, calling for tenders for the work of closing the breach of Maddepalli Ramapanditharkere, Register No. 916 of Bagepalli Taluk.

The last date fixed for the receipt of the tenders in this Office is 2 P.M. on 25th January 1937.

P. RAJAGOPALAN,
Executive Engineer.

TUMKUR DIVISION.

Notification dated 10th December 1936.

"A Savings Bank Account No. 1544—S.D. containing a balance of Rs. 313-6-3 tendered by one Mr. A. Govindarajulu Naidu, son of Mr. Venkatachala Naidu, remains unclaimed in this office. If the Savings Bank Book is not claimed within three months from the date of this notification with sufficient evidence to prove the identity of the claimant the amount will be credited to Government."

D. KRISHNA RAO,
Executive Engineer.

KADUR DIVISION.

Notification dated 31st December 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kadur Division, up to 2 P.M. on 25th January 1937, for the work of constructing Operator's quarters at Tarikere, 2 Blocks of 4 units. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Chikmagalur, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees Five hundred (500) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the work of constructing Operator's quarters at Tarikere, 2 blocks of 4 units," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Superintending Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Estimate for the probable cost of constructing Operator's Quarters at Tarikere (2 Blocks of 4 Units) for the Electrical Department.

No.	Description of work	Approximate quantity	Unit	Rate	Cost
				Rs. a. p.	Rs.
1	Earthwork excavation and filling basement	65	C.yd.	0 4 6	18
2	Stone jelly concrete in chunam mortar for foundation 1:2	726	C.ft.	0 5 0	227
3	Size stone in chunam mortar for foundation and basement	869	"	0 4 6	244
4	Burnt brick in mortar for superstructure	2,673	"	0 5 0	835
5	Burnt stone slabs 6" thick dressed and fixed	426	S.ft.	0 12 0	320
6	Teakwood wrought and put up including 2 coats of wood-oiling	68.5	C.ft.	5 0 0	343
7	R.S. girders with hoisting, fixing, etc., complete	6½	Cwt.	12 0 0	78
8	Boxing joists	22	S.ft.	0 8 0	11
9	Brick in mortar parapet wall ¾" thick and 1½" high	58	R.ft.	0 12 0	50
10	Roofing with 1st class Mangalore Tiles on teakwood reapers 1" thick including nails, etc., complete	12.72	Sqr.	32 0 0	406
11	Terrace with R.C. slabs 4" thick and brick jelly concrete over top including plastering, etc., complete	316	S.ft.	1 0 0	316
12	Centering charges	Lumpsum			25
13	Ridge tiles set in mortar and cement pointed	77	R.ft.	0 14 0	67
14	Ventilating tiles Mangalore pattern	8	Each	2 4 0	18
15	Cement pointing to basement	1.53	Sqr.	5 0 0	8
16	Plastering with chunam mortar	54.52	"	4 6 0	239
17	White washing, coats two	54.52	"	0 5 0	17
18	Teakwood doors with panelled shutters including iron bolts, hinges, etc., complete	319	S.ft.	1 12 0	54
19	Teakwood windows with iron bars, etc., complete	116	"	2 0 0	232
20	Teakwood Almirah fixed in walls	72	"	1 0 0	72
21	Teakwood eave-board 9"	123	R.ft.	0 9 0	69
22	Expanded metal for verandah including teakwood frame works	117	S.ft.	0 12 0	87
23	Silver Grey painting 3 coats	14.65	Sqr.	5 0 0	73
24	Flooring with 3" lime mortar concrete with 1½" cement concrete and plastering coloured like Mangalore Tile	8.43	Sqr.	25 0 0	211

No.	Description of work	Approximate quantity	Unit	Rate	Cost
				Rs. a. p.	Rs.
25	Constructing sinks	2	Each	5 0 0	10
26	Clearing site and unforeseen charges	L. S.			25
27	Plain cornice	61	R.ft.	0 8 0	30
	Temporary establishment charges				180
	Total				4,739
	Contingencies				261
	Total				5,000
	<i>Constructing Latrine.</i>				
1	Earthwork excavation and filling basement	4	C.yd.	0 4 6	1
2	Size stone in mortar for foundation and basement	130	C.ft.	0 4 6	37
3	Burnt brick in mortar for superstructure	196	"	0 5 0	61
4	Chunam mortar plastering	4.91	Sqr.	4 6 0	21
5	Cement pointing to basement	0.56	"	5 0 0	3
6	White washing and colour washing, 2 coats	5.47	"	0 6 0	2
7	Cement plastering $\frac{1}{2}$ " thick 1:3	0.79	"	10 0 0	8
8	Tarring two coats	0.63	"	2 10 0	2
9	Flooring with 3" concrete and cement plaster $\frac{1}{2}$ " thick	0.38	"	20 0 0	8
10	Fixing outlets and constructing drain	10	Each	1 0 0	10
11	Providing galvanized iron sheet, tubs 12" x 6" with tarring	6	"	0 12 0	4
	Total				157
	Contingencies				8
	Grand Total				165

N.B.—Quantities given are for only one Block of 2 units.

Notification dated 31st December 1936.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kadur Division, up to 2 P.M., on 25th January 1937, for the work of constructing Operators' quarters at Chikmagalur, 2 Blocks of 4 units. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of April 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at Chikmagalur between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees Five hundred (500) in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for the work of constructing Operators' quarters at Chikmagalur, 2 Blocks of 4 units," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Superintending Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office, in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Superintending Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for the probable cost of constructing Operators' Quarters, at Chikmagalur (2 Blocks of 4 units) for the Electrical Department.

No.	Description of work	Approximate quantity	Unit	Rate	Cost
				Rs. a. p.	Rs.
1	Earthwork excavation and filling basement	53	C.yd.	0 4 0	13
2	Stone jelly concrete in chunam mortar for foundation 1:2	591	C.ft.	0 4 6	166
3	Size stone in mud for foundation and basement	1,002	"	0 4 0	255
4	Burnt brick in clay for superstructure	2,673	"	0 4 0	668
5	Burnt stone slabs dressed and fixed 6" thick	426	S.ft.	0 14 0	373
6	Teakwood wrought and put up including of 2 coats of wood oiling	68.5	C.ft.	5 0 0	343
7	Roll steel girders with hoisting, fixing, etc., complete	6½	Cwt.	12 0 0	78
8	Burnt brick in mortar parapet wall ¾" thick and 1½ feet high	58	R.ft.	0 12 0	44
9	Roofing with 1st class Mangalore Tiles on teakwood reapers 1" thick including rails, etc., complete	12.72	Sqr.	28 0 0	357
10	Terrace with R.C. slabs 4" thick with brick jelly concrete over top including plastering, etc., complete	316	S.ft.	1 0 0	316
11	Centing charges		L. S.		25
12	Ridge tiles set in mortar and cement pointed	77	R.ft.	0 12 0	58
13	Ventilating tiles with Mangalore pattern	20	Each	1 0 0	20
14	Cement pointing to basement	1.53	Sqr.	5 0 0	8
15	Plastering with chunam mortar	54.52	"	4 6 0	239
16	White and colour washing 2 coats	54.52	"	0 4 6	15
17	Teakwood doors with panelled shutters including iron bolts, hinges, etc., complete	319	S.ft.	1 12 0	546
18	Teakwood windows with battened shutters including iron bars, etc., complete	116	S.ft.	2 0 0	232
19	Teakwood wall shelves	72	"	1 0 0	72
20	Teakwood eaveboard 9" thick	149	R.ft.	0 8 0	75
21	Expanded metal (3"×1½") with teakwood frame works	119	S.ft.	1 0 0	119
22	Silicate painting	14.65	Sqr.	3 8 0	52
23	Flooring with 1" cement concrete over 3" chunam concrete with ½" cement plastering and cutting tiles pattern	8.49	Sqr.	20 0 0	170
24	Plain cornice 9" thick brick in mortar	62	R.ft.	0 12 0	47
25	Constructing sinks	2	Each	5 0 0	10
26	Stone mortar and pestle	2	"	5 0 0	10
27	Chunam borders at ends of roof	44	R.ft.	0 4 0	11
28	Down water pipes	6	Each	5 0 0	30
29	Constructing cement concrete drain		L. S.		50

No.	Description of work	Approximate quantity	Unit	Rate	Cost
				Rs. a. p.	Rs.
31	Cupboard lank of jungle wood with teakwood plugs, etc., complete	42	S.ft.	0 12 0	32
32	Temporary establishment	..	L. S.	..	150
33	Water supply and Electrical fittings	..	L. S.	..	150
				Total ..	4,784
				Contingencies ..	216
				Grand Total ..	5,000
	<i>Construction of Latrine.</i>				
1	Earthwork excavation and filling basement	4	Cyd.	0 4 6	1
2	Size stone in clay for foundation and basement	130	C.ft.	0 4 0	33
3	Burnt brick in mortar for superstructure	196	..	0 5 3	64
4	Chunam mortar plastering	4.91	Sqr.	4 0 0	20
5	Chunam pointing	.52	..	2 8 0	1
6	White washing 2 coats	5.47	..	0 6 0	2
7	Cement plastering $\frac{1}{2}$ " thick 1:3	0.79	..	10 0 0	8
8	Tarring 2 coats	0.16	..	2 8 0	1
9	Flooring with 1" cement concrete on 3" stone jelly concrete in mortar and plastered with cement $\frac{1}{2}$ " thick	0.38	..	20 0 0	8
10	Fixing outlets and constructing drains	1	Each	10 0 0	10
11	Providing galvanized iron sheet boxes 12" x 6" with tarring	5	..	0 12 0	4
				Total ..	152
				Contingencies ..	8
				Grand Total ..	160

N.B.—Quantities given are for only one block of 2 units.

L. A. H. WINCKLER.

Executive Engineer.

CHITALDRUG DIVISION.

Notification dated 29th December 1936.

1. Sealed tenders will be received at the office of the Executive Engineer, Chitaldrug Division, Chitaldrug, up to 2 P.M., on 24th January 1937, for constructing a Girder Bridge across Vedavati River, near Kellodu Village on Hosadurga-Huliyar Road with reinforced cement concrete curbs.

2. Tenders in the prescribed form obtainable from the Office of the Executive Engineer, Chitaldrug Division, Chitaldrug, on payment of Rupee one for each form should be addressed to the Executive Engineer, Chitaldrug Division, Chitaldrug, and should be superscribed as "Tender for constructing a Girder Bridge across Vedavati River, near Kellodu Village on Hosadurga-Huliyar Road, with reinforced cement concrete curbs." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 4,000 (Four thousand only) in cash or Government Promissory Notes or Mysore Government Bonds at face value or market value, whichever is less, as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. (Cash amount will not carry any interest).

4. The tenders will be opened in the presence of such tenderers who wish to be present on Monday the 25th of January 1937. The final acceptance of the tender will rest with Government, who do not bind themselves to accept the lowest or any tender, or to assign any reasons whatever, for the rejection of any tender.

5. The name of the successful tenderer will be posted on the Notice Board in the Executive Engineer's Office, in due course. Within eight days of the acceptance of the tender, the successful

tenderer will be required to execute the Agreement in the departmental schedule contract form for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings, may be seen at any time at the office of the Executive Engineer, Chitaldrug Division, Chitaldrug, on all working days between 11 A.M. and 5 P.M.

8. Specific rate should be given for each item in the schedule and the rates should be in rupees, annas and in multiples of three pies and expressed in words and figures. Tenders offering a percentage reduction on the estimate amount will be rejected.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department current schedule of rates.

13. In the event of the tender being submitted by a Firm, it must be signed separately and severally by each member thereof, or in the event of absence of any partner, it must be signed on his behalf by a person holding power-of-attorney, authorising him to do so.

14. When once the rates tendered have been accepted they will not be revised under any circumstances. In regard to items of work not tendered, the rates to be proposed by the Executive Engineer, Chitaldrug Division, Chitaldrug, and approved by the Superintending Engineer, Shimoga Circle, shall be final and legally binding on the tenderer.

15. The quantities given in the schedule are only approximate and are liable to alterations, omissions, deductions, or additions, at the discretion of the Executive Engineer or his representative. The tendered rates will hold good for any quantity, whether higher or lower than those given in the enclosed schedule.

16. The work should be completed and handed over to the Public Works Department before end of December 1938, from the date from which the work is ordered to be commenced, failing which the Executive Engineer may, at his discretion, levy a penalty of Rs. 5 per day, which will be recovered from the Contractor's outstandings for the period by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Superintending Engineer, Shimoga Circle, shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on submission of the receipts originally granted, along with an application, to the Executive Engineer, Chitaldrug Division, Chitaldrug.

19. No claims for damages, for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sub-let.

21. All materials, tools and plant and machinery, old doors, windows, etc., that will be supplied by the Executive Engineer, in the interest of the work shall be accepted by the tenderer at the rates fixed by the Executive Engineer and the tenderers will pay the hire, etc., on machinery and tools and plant at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The Contractors should arrange for the payment of Royalty and tools.

Note.—(A) The Contractor should at his own cost:—

- (1) Provide rods, stakes, ropes and labours required in setting out the works.
- (2) Provide all necessary scaffolding, entering labour and appliance for hoisting.
- (3) Provide mortar mill and shed to keep materials under cover and also for workmen.
- (4) Arrange for protecting work during inclement weather.
- (5) Supply requisite temporary lights, water cisterns, water-shoots, covering to masonry, tile pieces to steps, sieves, parabs, or measures, shoring and other requisite protection during the progress of the work.
- (6) Supply all water required for work and workmen and shall provide latrines, drainages, etc.
- (7) Clean away all dirt, rubbish, superfluous materials and debris as they accumulate.

- (8) Provide arrangements for pumping and bailing from excavations and foundations, wherever and whenever necessary with his own pumping apparatus, including necessary leading drains, slump pits, pits, etc.
- (9) Wash floors at completion and leave the whole of the work and premises in a clean and orderly condition, etc.
- (10) Afford facilities to any other parties employed upon the work, so that their work may proceed during the progress of the contract and give such persons the use of ordinary scaffolding and ladders.

Note.—(B) It is the business of the Contractor to make his own arrangements for the quarries and supplies of materials.

23. The rates for wood work for all works quoted should be based on the rates of the departmental supply as noted below. Only Mysore Teak selected from the Mysore Depots must be used.

Prevailing Government rates at.....for

Rs. a. p.

(1) Selected 1st class logs 2 8 0 per C.ft.

24. If it is considered desirable, the work will be distributed to more than one contractor for the speedy completion of the work.

Abstract estimate for constructing a Girder Bridge across Vedavati River near Kellodu Village on Hosadurga-Huliyar Road with reinforced cement concrete curbs.

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs.
1	Excavation in sandy soil	C.yd.	0 4 0	4,692	1,173
2	Sinking wells in sandy soil	"	0 6 0	410	154
3	Stone jelly concrete in surki mortar	C.ft.	0 4 0	1,703	479
3(a)	Cement shingle concrete 1:5:10 for filling inside well curbs	"	0 8 0	16,179	8,090
4	Reinforced cement concrete curbs with fixing complete 4' dia:	R.ft.	7 8 0	1,758	13,185
5	Do do 3' dia.	"	4 8 0	440	1,980
6	R.C.C. slab for decking	C.ft.	2 4 0	6,657	14,978
7	Collecting and filling sand inside 3' dia. curbs	C.yd.	0 8 0	51	26
8	Angle iron bracings for girders with bolts and nuts, etc., complete	Each	10 0 0	81	810
9	Rolled steel girders 24" x 7½" x 90 lbs. including Railway freight, carting, etc., complete	Cwt.	13 0 0	969	12,597
10	Rearring plates below girders with bolts and nuts, etc., complete	Each	15 0 0	80	1,200
11	Angle iron standards 3" x 4" x ¾" with 1½" G. I. pipe for railings and fixtures, etc., complete	R.ft.	2 0 0	684	1,368
12	Rough stone pitching for the bed of halla with lead charges including sides	C.yd.	2 0 0	1,293	2,586
13	Rough stone jelly for filling behind abutment	"	1 0 0	213	213
14	Tarring the road surface with jelly earth cushion, consolidation, etc., complete	Lump sum.			1,000
15	Earthwork for approach banks consolidation, etc., complete	Do			1,500
16	Unwatering foundations	Do			6,000
17	Deviation of the stream and the road during execution	"			2,000
18	Coffer dams	"			500
19	Petty supervision charges and watchman, etc.	"			1,925
20	Temporary sheds	"			500
21	Unforeseen items	"			1,500
	Total				73,764

No.	Items of work	Unit	Rate	Quantity	Cost
					Rs.
	Establishment Tools and plant charges at 18 per cent on the District Board share only, i.e., on half the portion				6,466
	Contingencies at 5 per cent				3,570
	Grand Total				83,800

S. MUTHUSWAMI IYER,
Executive Engineer.

MEDICAL DEPARTMENT

EPIDEMIC DISEASES HOSPITAL AND LEPROSY ASYLUM, BANGALORE.

Abstract Notification dated 13th December 1936.

The attention of the public is invited to the detailed notification calling for tenders for the supply of Bedding and Clothing to the Epidemic Diseases Hospital and Leprosy Asylum, Bangalore, for the year 1936-37, published in pages 2039-2040 of Part VI of the *Mysore Gazette*, dated 17th December 1936.

T. SUBBA RAO,
Medical Officer.

OFFICE OF THE SUPERINTENDENT, MEDICAL STORES, MYSORE GOVERNMENT, BANGALORE.

Abstract Notification dated 26th November 1936.

The attention of the public is invited to the detailed notification published in pages 2077-2078, of Part VI of the *Mysore Gazette*, dated 24th December 1936, regarding the auction sale of unserviceable articles of the Medical Stores, Bangalore.

M. HIRIYANNAIYA,
Superintendent.

VANI VILAS HOSPITAL, MYSORE.

Abstract Notification.

Notice is hereby given that sealed tenders in triplicate will be received at the Office of the Medical Officer, Vani Vilas Hospital, Mysore, on Monday the 18th January 1937 at 11 A.M. for the supply of Bedding and Clothing for the Vani Vilas Hospital, Mysore, for the year 1936-37. For details, vide pages 2040-2041, Part VI of the *Mysore Gazette*, dated 17th December 1936.

M. RATNAMMA ISAAC,
Medical Officer.

MISCELLANEOUS DEPARTMENTS

OFFICE OF THE CHIEF ELECTRICAL ENGINEER, BANGALORE.

Notice dated 28th December 1936.

1. Sealed tenders in triplicate will be received at the Office of the Chief Electrical Engineer, Bangalore, and the same should be superscribed with name of the work given below.
2. The Plans, detailed estimates and conditions may be obtained at the Office of the undersigned at all working hours.
3. The tenders should be in the form of a statement as given below showing rates in figures.